Plant Molecular Biology **28**: 1163–1170, 1995.

Contents of Volume 28

Vol. 28 No. 1 April 1995

Research articles

Features of the *hmg* 1 subfamily of genes encoding HMG-CoA reductase in potato 1–15
M.K. Bhattacharyya, N.L. Paiva, R.A. Dixon, K.L. Korth, B.A. Stermer

Expression of three osmotin-like protein genes in response to osmotic stress and fungal infection in potato 17–26
B. Zhu, T.H.H. Chen, P.H. Li

Identification and characterization of genes with unstable transcripts (*GUT*s) in tobacco 27–38
C.B. Taylor, P.J. Green

Isolation of a carrot gene expressed specifically during early-stage somatic embryogenesis 39–46
S. Sato, T. Toya, R. Kawahara, R.F. Whittier, H. Fukuda, A. Komamine

Chalcone synthase-like genes active during corolla development are differentially expressed and encode enzymes with different catalytic properties in *Gerbera hybrida* (Asteraceae) 47–60
Y. Helariutta, P. Elomaa, M. Kotilainen, R.J. Griesbach, J. Schröder, T.H. Teeri

Narbonin, a novel 2S protein from *Vicia narbonensis* L. seeds: cDNA, gene structure and developmentally regulated formation 61–72
V.H. Nong, B. Schlesier, R. Bassüner, A. Repik, C. Horstmann, K. Müntz

Developmental regulation and tissue-specific differences of heat shock gene expression in transgenic tobacco and *Arabidopsis* plants 73–82
R. Prändl, E. Kloske, F. Schlöffl

Expression of the CMS-associated *urfS* sequence in transgenic petunia and tobacco 83–92
H. Wintz, H.-C. Chen, C.A. Sutton, C.A. Conley, A. Cobb, D. Ruth, M.R. Hanson

Molecular cloning of an ozone-induced 1-aminocyclopropane-1-carboxylate synthase cDNA and its relationship with a loss of *rbcS* in potato (*Solanum tuberosum* L.) plants 93–103
C.D. Schlagnhaufer, R.E. Glick, R.N. Arteca, E.J. Pell

Molecular cloning and characterization of a pea chitinase gene expressed in response to wounding, fungal infection and the elicitor chitosan 105–111
M.-M. Chang, D. Horovitz, D. Culley, L.A. Hadwiger

Characterization of cDNA clones for differentially expressed genes in embryos of dormant and nondormant *Avena fatua* L. caryopses 113–122
R.R. Johnson, H.J. Cranston, M.E. Chaverra, W.E. Dyer

Expression of *Agrobacterium rhizogenes* auxin biosynthesis genes in transgenic tobacco plants 123–136
V. Gaudin, L. Jouanin

A corm-specific gene encodes tarin, a major globulin of taro (*Colocasia esculenta* L. Schott) 137–144
I.C. Bezerra, L.A.B. Castro, G. Neshich, E.R.P. de Almeida, M.F. Grossi de Sá, L.V. Mello, D.C. Monte-Neshich

A GCC element and a G-box motif participate in ethylene-induced expression of the *PRB-1b* gene 145–153
G. Sessa, Y. Meller, R. Fluhr

Structural and functional characterization of two wheat histone H2B promoters 155–172
P. Yang, K.-i. Taoka, T. Nakayama, M. Iwabuchi

The NADP-glutamate dehydrogenase of the cyanobacterium *Synechocystis* 6803: cloning, transcriptional analysis and disruption of the *gdhA* gene 173–188
S. Chávez, J.C. Reyes, F. Chauvat, F.J. Florencio, P. Candau

Short communications

Structural organization and differential expression of carrot β-fructofuranosidase genes: identification of a gene coding for a flower bud-specific isozyme 189–194
K. Lorenz, S. Lienhard, A. Sturm

The location of untranscribed DNA sequences within *ras* genes essential for eliciting plant growth suppression 195–201
Z. Liu, J. Ma, J.C. Sanford

Sequence announcement 203

Volume 28 No. 2 May 1995

Research articles

Identification of enhancer and silencer regions involved in salt-responsive expression of Crassulacean acid metabolism (CAM) genes in the facultative halophyte *Mesembryanthemum crystallinum* 205–218
H.J. Schaeffer, N.R. Forsthoefel, J.C. Cushman

Promoter elements of the mustard *CHS1* gene are sufficient for light regulation in transgenic plants 219–229
T. Kaiser, K. Emmler, T. Kretsch, B. Weisshaar, E. Schäfer, A. Batschauer

***Cis*-acting elements of the *CHS1* gene from white mustard controlling promoter activity and spatial patterns of expression** 231–243
T. Kaiser, A. Batschauer

Isolation sequencing and expression of cDNA sequences encoding uroporphyrinogen decarboxylase from tobacco and barley 245–256
H.-P. Mock, L. Trainotti, E. Kruse, B. Grimm

Characterization of a cDNA encoding the 55 kDa B regulatory subunit of *Arabidopsis* protein phosphatase 2A 257–266
S.J. Rundle, A.J. Hartung, J.W. Corum III, M. O'Neill

Characterization of a family of *Arabidopsis* zinc finger protein cDNAs 267–279
B.W. Tague, H.M. Goodman

Somatic intrachromosomal homologous recombination events in populations of plant sibling 281–292
H. Puchta, P. Swoboda, S. Gal, M. Blot, B. Hohn

Sequential induction of the ethylene biosynthetic enzymes by indole-3-acetic acid in etiolated peas 293–301
S.C. Peck, H. Kende

Subunit interaction enhances enzyme activity and stability of sweet potato cytosolic Cu/Zn-superoxide dismutase purified by a His-tagged recombinant protein method 303–311
C.-T. Lin, M.-T. Lin, Y.-T. Chen, J.-F. Shaw

The marine red alga *Chondrus crispus* has a highly divergent β-tubulin gene with a characteristic 5′ intron: functional and evolutionary implications 313–325
M.-F. Liaud, U. Brandt, R. Cerff

Synthesis of ribosomal proteins from stored mRNAs early in seed germination 327–336
E. Beltrán-Peña, A. Ortiz-López, E. Sánchez de Jiménez

Short communication

Successful expression in pollen of various plant species of *in vitro* synthesized mRNA introduced by particle bombardment 337–341
T. Tanaka, M. Nishihara, M. Seki, A. Sakamoto, K. Tanaka, K. Irifune, H. Morikawa

A small repeated sequence contains the transcription initiation sites for both *trnfM* and *rrn26* in rice mitochondria 343–346
M. Nakazono, N. Tsutsumi, M. Sugiura, A. Hirai

Characterization of a cDNA encoding the protein moiety of a putative arabinogalactan protein from *Lycopersicon esculentum* 347–352
B.J. Pogson, C. Davies

Volume 28 No. 3 June 1995

Editorial v

Mini-review

Anion channels as central mechanisms for signal transduction in guard cells and putative functions in roots for plant-soil interactions 353–361
J.I. Schroeder

Research articles

Molecular cloning of the cDNA encoding a stress-inducible protein phosphatase 1 (PP1) catalytic subunit from French bean (*Phaseolus vulgaris* L.) 363–368
A. Zimmerlin, S.C. Jupe, G.P. Bolwell

Isolation and characterisation of cDNA clones representing the genes encoding the major tuber storage protein (dioscorin) of yam (*Dioscorea cayenensis* Lam.) 369–380
R.S. Conlan, L.-A. Griffiths, J.A. Napier, P.R. Shewry, S. Mantell, C. Ainsworth

A novel stress-inducible metallothionein-like gene from rice 381–389
H.-M. Hsieh, W.-K. Liu, P.C. Huang

Characterisation of two tomato fruit-expressed cDNAs encoding xyloglucan *endo*-transglycosylase 391–403
D.A. Arrowsmith, J. de Silva

The nodule-specific *VfENOD-GRP3* gene encoding a glycine-rich early nodulin is located on chromosome I of *Vicia faba* L. and is predominantly expressed in the interzone II-III of root nodules 405–421
H. Küster, G. Schröder, M. Frühling, U. Pich, M. Rieping, I. Schubert, A.M. Perlick, A. Pühler

High levels of ripening-specific reporter gene expression directed by tomato fruit polygalacturonase gene-flanking regions 423–435
F.J. Nicholass, C.J.S. Smith, W. Schuch, C.R. Bird, D. Grierson

A transposon-like sequence with short terminal inverted repeats in the nuclear genome of *Chlamydomonas reinhardtii* 437–442
A. Day

Characterization of a *Chlamydomonas reinhardtii* gene encoding a protein of the DNA photolyase/blue light photoreceptor family 443–454
G.D. Small, B. Min, P.A. Lefebvre

Expression of the rice *Osgrp1* promoter-*Gus* reporter gene is specifically associated with cell elongation/expansion and differentiation 455–471
D. Xu, M. Lei, R. Wu

Molecular cloning and characterization of six cDNAs expressed during glucose starvation in excised maize (*Zea mays* L.) root tips 473–485
C. Chevalier, E. Bourgeois, A. Pradet, P. Raymond

***Chlamydomonas reinhardtii* thioredoxins: structure of the genes coding for the chloroplastic *m* and cytosolic *h* isoforms; expression in *Escherichia coli* of the recombinant proteins, purification and biochemical properties** 487–503
M. Stein, J.-P. Jacquot, E. Jeannette, P. Decottignies, M. Hodges, J.-M. Lancelin, V. Mittard, J.-M. Schmitter, M. Maginiac-Maslow

Ethylene-regulated expression of a carnation cysteine proteinase during flower petal senescence 505–512
M.L. Jones, P.B. Larsen, W.R. Woodson

***cry* IA(b) transcript formation in tobacco is inefficient** 513–524
R. van Aarssen, P. Soetaert, M. Stam, J. Dockx, V. Gosselé, J. Seurinck, A. Reynaerts, M. Cornelissen

Peculiar properties of the PsaF photosystem I protein from the green alga *Chlamydomonas reinhardtii*: presequence independent import of the PsaF protein into both chloroplasts and mitochondria 525–535
M. Hugosson, G. Nurani, E. Glaser, L.-G. Franzén

Dark induction and subcellular localization of the pathogenesis-related PRB-1b protein 537–547
G. Sessa, X.-Q. Yang, V. Raz, Y. Eyal, R. Fluhr

The *Arabidopsis* MADS-box gene *AGL3* is widely expressed and encodes a sequence-specific DNA-binding protein 549–567
H. Huang, M. Tudor, C.A. Weiss, Y. Hu, H. Ma

Short communications

Extreme heterogeneity of polyadenylation sites in mRNAs encoding chloroplast RNA-binding proteins in *Nicotiana plumbaginifolia* 569–574
U. Klahre, M. Hemmings-Mieszczak, W. Filipowicz

Up-regulation of a cysteine protease accompanies the ethylene-insensitive senescence of daylily (*Hemerocallis*) flowers 575–582
V. Valpuesta, N.E. Lange, C. Guerrero, M.S. Reid

The transcripts encoding two oleosin isoforms are both present in the aleurone and in the embryo of barley (*Hordeum vulgare* L.) seeds 583–588
R.B. Aalen

Identification of a glibberellin-induced gene in deepwater rice using differential display of mRNA 589–592
E. van der Knaap, H. Kende

Sequence announcement 593

Volume 28 No. 4 July 1995

Research articles

Cis-acting elements and expression pattern of the spinach _rps 22_ gene coding for a plastid-specific ribosomal protein 595–604
Y.-F. Li, D.-X. Zhou, G. Clabault, C. Bizanz-Seyer, R. Mache

Promoters from _kin 1_ and _cor6.6_, two homologous _Arabidopsis thaliana_ genes: transcriptional regulation and gene expression induced by low temperature, ABA, osmoticum and dehydration 605–617
H. Wang, R. Datla, F. Georges, M. Loewen, A.J. Cutler

Promoters from _kin 1_ and _cor6.6_, two _Arabidopsis thaliana_ low-temperature- and ABA-inducible genes, direct strong β-glucuronidase expression in guard cells, pollen and young developing seeds 619–634
H. Wang, A.J. Cutler

Characterization of the nuclear gene encoding mitochondrial aconitase in the marine red alga _Gracilaria verrucosa_ 635–646
Y.-H. Zhou, M.A., Ragan

Cloning of a tomato polygalacturonase expressed in abscission 647–656
P. Kalaitzis, S.M. Koehler, M.L. Tucker

Primary structure of the plasma membrane H+-ATPase from the halotolerant alga _Dunaliella bioculata_ 657–666
A.H. Wolf, C.W. Slayman, D. Gradmann

Intron-dependent transient expression of the maize _GapA1 gene_ 667–676
M. Donath, R. Mendel, R. Cerff, W. Martin

Molecular cloning of two tandemly arranged peroxidase genes from _Populus kitakamiensis_ and their differential regulation in the stem 677–689
K. Osakabe, H. Koyama, S. Kawai, Y. Katayama, N. Morohoshi

Nature and regulation of pistil-expressed genes in tomato 691–711
S.B. Milligan, C.S. Gasser

Cloning and characterization of two cDNA clones encoding seed-specific antimicrobial peptides from _Mirabilis jalapa_ L. 713–721
M.F.C. De Bolle, K. Eggermont, R.E. Duncan, R.W. Osborn, F.R.G. Terras, W.F. Broekaert

The homeobox gene _ATK1_ of _Arabidopsis thaliana_ is expressed in the shoot apex of the seedling and in flowers and inflorescence stems of mature plants 723–737
J. Dockx, N. Quaedvlieg, G. Keultjes, P. Kock, P. Weisbeek, S. Smeekens

Aerobic fermentation in tobacco pollen 739–750
M. Buchner, K.A. Brander, S. Sbicego, T. Mandel, C. Kuhlemeier

Translational arrest in hypoxic potato tubers is correlated with the aberrant association of elongation factor EF-1α with polysomes 751–757
M.e. Vayda, C.K. Shewmaker, J.K. Morelli

Short communication

Cloning and sequencing of the nitate transport system from the thermophilic, filamentous cyanobacterium *Phormidium laminosum:* comparative analysis with the homologous system from *Synechococcus* sp. PCC 7942 759–766
F. Merchán, K.L. Kindle, M. Llama, J.L. Serra, E. Fernández

Volume 28 No. 5 August 1995

Research articles

Separation of *AG* function in floral meristem determinacy from that in reproductive organ identity by expressing antisense *AG* RNA 767–784
Y. Mizukami, H. Ma

A carrot cDNA encoding an atypical protein kinase homologous to plant calcium-dependent protein kinases 785–797
E. Lindzen, J.H. Choi

Characterization and expression of *rpoC2* in CMS and fertile lines of sorghum 799–809
Z. Chen, K.F. Schertz, J.E. Mullet, A. DuBell, G.E. Hart

Peroxisomal thiolase mRNA is induced during mango fruit ripening 811–820
G. Bojorquez, M.A. Gómez-Lim

Transgenic analysis of the 5'- and 3'-flanking regions of the NADH-dependent hydroxypyruvate reductase gene from *Cucumis sativus* L. 821–836
S.G. Daniel, W.M. Becker

Organization, inheritance and expression of acetohydroxyacid synthase genes in the cotton allotetraploid *Gossypium hirsutum* 837–846
J.W. Grula, R.L. Hudspeth, S.L. Hobbs, D.M. Anderson

The *S*-locus of *Nicotiana alata*: genomic organization and sequence analysis of two *S*-RNase alleles 847–858
D.P. Matton, S.-L. Mau, S. Okamoto, A.E. Clarke, E. Newbigin

Isolation of cDNA clones of genes with altered expression levels in phosphate-starved *Brassica nigra* suspension cells 859–870
M.A. Malboobi, D.D. Lefebvre

The *Arabidopsis thaliana* 4-coumarate:CoA ligase (*4CL*) gene: stress and developmentally regulated expression and nucleotide sequence of its cDNA 871–884
D. Lee, M. Ellard, L.A. Wanner, K.R. Davis, C.J. Douglas

Stress responses in alfalfa (*Medicago sativa* L.) XIX. Transcriptional activation of oxidative pentose phosphate pathway genes at the onset of the isoflavonoid phytoalexin response 885–900
T. Fahrendorf, W. Ni, B.S. Shorrosh, R.A. Dixon

Histone H3 transcript stability in alfalfa 901–914
T. Kapros, A.J. Robertson, J.H. Waterborg

GA_3-regulated cDNAs from *Hordeum vulgare* leaves 915–926
E. Speulman, F. Salamini

A near-upstream element in a plant polyadenylation signal consists of more than six nucleotides 927–934
Q. Li, A.G. Hunt

Short communications

Gerbera hybrida (Asteraceae) imposes regulation at several anatomical levels during inflorescence development on the gene for dihydroflavonol-4-reductase 935–941
Y. Helariutta, M. Kotilainen, P. Elomaa, T.H. Teeri

Characterization of a low-temperature-induced cDNA from winter _Brassica napus_ encoding the 70 kDa subunit of tonoplast ATPase 943–948
W. Orr, T.C. White, B. Iu, L. Robert, J. Singh

Activity of constitutive promoters in various species from the Liliaceae 949–955
A. Wilmink, B.C.E. van de Ven, J.J.M. Dons

An _S_-RNase promoter from _Nicotiana alata_ functions in transgenic _N. alata_ plants but not _Nicotiana tabacum_ 957–963
J. Murfett, P.R. Ebert, V. Haring, A.E. Clarke

Erratum 965

Volume 28 No. 6 September 1995

Research articles

***Cis* elements and potential *trans*-acting factors for the developmental regulation of the *Phaseolus vulgaris CHS15* promoter** 967–981
G.S. Hotter, J. Kooter, I.A. Dubery, C.J. Lamb, R.A. Dixon, M.J. Harrison

Developmental expression of a turgor-responsive gene that encodes an intrinsic membrane protein 983–996
J.T. Jones, J.E. Mullet

Expression of arginine decarboxylase is induced during early fruit development and in young tissues of *Pisum sativum* (L.) 997–1009
M.A. Pérez-Amador, J. Carbonell, A. Granell

Characterization of a family of genes encoding a fruit-specific wound-stimulated protein of bell pepper (*Capsicum annuum*): identification of a new family of transposable elements 1011–1025
J. Pozueta-Romero, M. Klein, G. Houlné, M.-L. Schantz, B. Meyer, R. Schantz

Expression of nodulin genes in plant-determined ineffective nodules of pea 1027–1038
N. Suganuma, M. Tamaoki, H. Kouchi

Evolution of the Group 1 late embryogenesis abundant (*Lea*) genes: analysis of the *Lea* B19 gene family in barley 1039–1054
R.A.P. Stacy, M. Espelund, S. Sæbøe-Larssen, K. Hollung, E. Helliesen, K.S. Jakobsen

A salt- and dehydration-inducible pea gene, *Cyp 15a*, encodes a cell-wall protein with sequence similarity to cysteine proteases 1055–1064
J.T. Jones, J.E. Mullet

Intron length variation of the *Adh* gene in *Brachyscome* (Asteraceae) 1067–1073
T. Denda, K. Kosuge, K. Watanabe, M. Ito, Y. Suzuki, P.S. Short, T. Yahara

Specificity in the immobilisation of cell wall proteins in response to different elicitor molecules in suspension-cultured cells of French bean (*Phaseolus vulgaris* L.) 1075–1087
P. Wojtaszek, J. Trethowan, G.P. Bolwell

Characterization of two integral membrane proteins located in the protein bodies of pumpkin seeds 1089–1101
K. Inoue, Y. Takeuchi, M. Nishimura, I. Hara-Nishimura

Short communications

A 200 bp region of the pea *ENOD12* promoter is sufficient for nodule-specific and Nod factor induced expression 1103–1110
I. Vijn, H. Christiansen, P. Lauridsen, I. Kardailsky, H.-J. Quandt, I. Broer, J. Drenth. E. Østergaard Jensen, A. van Kammen, T. Bisseling

***VsENOD5, VsENOD12* and *VsENOD40* expression during *Rhizobium*-induced nodule formation on *Vicia sativa* roots** 1111–1119
I. Vijn, W.-C. Yang, N. Pallisgård, E. Østergaard Jensen, A. van Kammen, T. Bisseling

Isolation of a cDNA encoding a novel GTP-binding protein of *Arabidopsis thaliana* 1121–1126
J.E. Dombrowski, N.V. Raikhel

Activity of the yeast FLP recombinase in *Arabidopsis* 1127–1132
R.V. Sonti, A.F. Tissier, D. Wong, J.-F. Viret, E.R. Signer

Characterization of the structure and determination of mRNA levels of the phenylalanine ammonia-lyase gene family from *Populus kitakamiensis* 1133–1141
Y. Osakabe, K. Osakabe, S. Kawai, Y. Katayama, N. Morohoshi

Molecular cloning and expression of mRNAs encoding H1 histone and an H1 histone-like sequences in root tips of pea (*Pisum sativum* L.) 1143–1148
H.-H. Woo, L.A. Brigham, M.C. Hawes

Transfer of non-T-DNA portions of the *Agrobacterium tumefaciens* Ti plasmid pTiA6 from the left terminus of T_L-DNA 1149–1154
V. Ramanathan, K. Veluthambi

Sequence announcement 1155

Announcement 1157

Instructions to authors 1159–1162

Contents of volume 28 1163–1170

Author index 1171–1172